

## Field Tile



200 Camel



600 Adobe



700 Mohave

## Accents



Accent Border



Listello



Insert



Border

## Mosaic



200 Camel



600 Adobe



700 Mohave

Shaw Industries, Inc.  
PO Drawer 2128, Mail Drop 02601  
Dalton, GA 30722-2128  
1-800-441-7429

 **Shaw** Tile & Stone™  
shawfloors.com

**Brushstone** | *porcelain tile*

**GREEN.** It's something we never forget.®

## Design Ideas



### 200 Camel

6" x 6"  
3" x 6"  
2" x 12" Listello

CS54C  
CS55C  
CS67C



### 600 Adobe

6" x 6"  
12" x 12" Mosaic  
2" x 2" Insert

CS54C  
CS57C  
CS74C



### 700 Mohave

12" x 12"  
6" x 6"  
3.25" x 12" Accent Border

CS52C  
CS54C  
CS69C

## Tile Sizes

### Field Tile

12" x 12"  
18" x 18"  
6" x 6"  
3" x 6"

### Style

CS52C  
CS53C  
CS54C  
CS55C

### Trim

3" x 12" Bullnose

CS56C

### Accent

3.25" x 12" Accent Border  
3.25" x 12" Border  
12" x 12" Mosaic  
2" x 2" Insert  
2" x 12" Listello

CS69C  
CS68C  
CS57C  
CS74C  
CS67C

### Technical

Wear Rating Group	4
Break Strength	400 lbs.
Water Absorption	<.5%
COF (Wet)	.60

\*OSHA (Occupational Safety and Health Administration) has established a recognized industry standard of 0.5 (wet and dry) for slip-resistant surfaces. The Americans with Disabilities Act (ADA) recommends, but does not require, "a Static Coefficient of Friction of 0.60 for accessible routes and 0.80 for ramps." ADA does not specifically state that 0.60 is both a dry and a wet requirement. It is important to note that any tile or other hard surface flooring can become slippery when wet or improperly maintained. Unless specifically stated by Shaw Industries, Inc., the use of Shaw Industries, Inc. ceramic tile is not recommended for exterior horizontal surfaces.

### Approved Usage



Tile & Stone™

shawfloors.com

# Brushstone

## Features

- Designed in Italy, made in the USA, Brushstone is a line unique to Shaw.
- The collection is glazed porcelain tile distinguished by a rich earthy palette with subtle color and texture variations (trends are getting away from beige).
- The tile surfaces have a slight raised-relief feel and a soft, fine, misty look with no obvious grain; spatter glazing gives the effect of flecks of light over gentle sweeps of color.
- Designer comment: “Imagine adobe walls, smoothed and hand-rubbed with beeswax.”
- Installation creates a feeling of depth, because the underlay of color shifts from paler to deeper in each tile; put together, there’s an interplay of color, light, and shadow across the floor.
- Trim pieces—the beautiful jewelry—pick up all three colors. Darker tones emphasize the “carved” or “etched” effect of each trim piece, and the brighter shades provide contrast; all can be mixed and matched with all tile colors.
- 40% recycled content
- All pieces may be installed on the floor or wall.
- Suitable for floor applications on covered patios when installed by a certified installer using proper methods.
- Modular design series in 12 x 12 in, 18 x 18 in, 6 x 6 in, and 3 x 6 in; with multi-color borders, listellos, inserts and mosaic accent pieces.

## Colors

**Camel 200**—a rich, creamy caramel

**Adobe 600**—toasty, warm medium-brown tones

**Mohave 700**—deeper brown, heading toward chocolate; sophisticated, works well with contemporary design



Color shown is 700 Mohave with accent border on floor; color 200 Camel on backsplash.

 **Shaw** Tile & Stone™  
shawfloors.com

**Brushstone** | *porcelain tile*

**GREEN** It's something we never forget.®

